

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** Unknown  
**Gender:** Unknown  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Cyclic Citrullinated Peptide Antibody, IgG and IgA**

ARUP test code 3016632

Cyclic Citrullinated Peptide Ab, IgG/A

2 Units

(Ref Interval: 0-19)

INTERPRETIVE INFORMATION: Cyclic Citrullinated Peptide Ab, IgG/A

19 Units or less ..... Negative  
20-39 Units ..... Weak Positive  
40-59 Units ..... Moderate Positive  
60 Units or greater ..... Strong Positive

A positive result for cyclic citrullinated peptide (CCP) antibodies in conjunction with consistent clinical features may be suggestive of rheumatoid arthritis (RA). Anti-CCP, IgG/IgA antibodies are present in about 66-74 percent of RA patients and have specificities of 96-99 percent. Detection of IgA antibodies in addition to the usual IgG antibodies enhances the sensitivity due to some RA patients having IgA antibodies to CCP in the absence of IgG. These autoantibodies may be present in the preclinical phase of disease, are associated with future RA development, and may predict radiographic joint destruction. Patients with weak positive results should be monitored and testing repeated.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cyclic Citrullinated Peptide Ab, IgG/A	23-240-121254	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: