

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/6/1999
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Trypsin, Serum
ARUP test code 3016694

Trypsin

221.5 ng/mL (Ref Interval: 180.5-885.3)

INTERPRETIVE INFORMATION: Trypsin

Results should be correlated with clinical presentation and other diagnostic data for the diagnosis of pancreatitis. Individuals with acute pancreatitis have significantly elevated trypsin concentrations. Concentrations in those with chronic pancreatitis are variable and may be below, within, or above the reference interval. Trypsin concentrations are not diagnostic for carcinoma of the pancreas. Results obtained with different assay methods or kits cannot be used interchangeably.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Trypsin	23-312-152203	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: