

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 8/8/1975  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Anti-Dense Fine Speckled 70 (DFS70) Antibody by ELISA, Serum**

ARUP test code 3016769

Anti-Dense Fine Speckled 70 Antibody

**34 U H (Ref Interval: 0-20)**

Testing performed by UWMC Montlake Dept of Lab  
Med, CLIA-50D0631935, 1959 NE Pacific Street, MS  
357110, Seattle, WA, 98195-0001

Anti-Dense Fine Speckled 70 Comment

See Note

AntiDFS70 is associated with positive ANA results in individuals without autoimmune rheumatic diseases. The presence of antiDFS70, together with the absence of other ANA subset autoantibodies, indicates a low risk for autoimmune rheumatic disease.

Testing performed by UWMC Montlake Dept of Lab  
Med, CLIA-50D0631935, 1959 NE Pacific Street, MS  
357110, Seattle, WA, 98195-0001

Anti-Dense Fine Speckled 70 Method

See Note

This test was developed and its performance characteristics determined by the University of Washington Department of Laboratory Medicine and Pathology. It has not been cleared or approved by the US Food and Drug Administration. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.

Testing performed by UWMC Montlake Dept of Lab  
Med, CLIA-50D0631935, 1959 NE Pacific Street, MS  
357110, Seattle, WA, 98195-0001

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Anti-Dense Fine Speckled 70 Antibody	23-219-114846	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Anti-Dense Fine Speckled 70 Comment	23-219-114846	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Anti-Dense Fine Speckled 70 Method	23-219-114846	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-219-114846  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 8/9/2023 9:33:11 AM  
4848