

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/26/1957
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

von Willebrand Factor (VWF) Collagen III Binding

ARUP test code 3016858

VWF Collagen III Binding **285 IU/dL H (Ref Interval: 50-203)**

For additional information, please visit www.versiti.org/vwd-diagnostic-testing
This test was developed and its performance characteristics determined by Versiti Wisconsin, Inc. It has not been cleared or approved by the US Food and Drug Administration. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.
Performed by: Versiti Wisconsin, Inc. 638 North 18th Street Milwaukee, WI 53233

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
VWF Collagen III Binding	24-011-100462	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: