

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/24/1986
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Factor 13, Qualitative, With Reflex to Factor 13 1:1 Mix

ARUP test code 3016927

Factor XIII, Qualitative

No Lysis

(Ref Interval: No Lysis)

Clot lysis was not observed in the qualitative factor XIII screening test. This pattern suggests that severe factor XIII deficiency is not present. However, this test does not identify mild or moderate deficiency, treated deficient patients, or patients with weak inhibitors that do not decrease factor XIII activity to less than 1% of normal.

In this test, clot lysis only occurs in samples with severe factor XIII deficiency (less than approximately 1% of normal activity). Severe deficiency may be inherited or acquired (typically due to a factor XIII antibody).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Factor XIII, Qualitative	23-314-145568	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical