

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	9/22/1991
Gender:	Unknown
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Human Papillomavirus (HPV) High Risk Screen, by Transcription-Mediated Amplification (TMA), ThinPrep

ARUP test code 3016943

HPV Source	Cervical
HPV, High Risk by TMA	Detected * INTERPRETIVE INFORMATION: HPV, High Risk by TMA
	This test detects E6/E7 viral messenger RNA of 14 high-risk HPV types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68) associated with cervical cancer and its precursor lesions. This test does not discriminate between the 14 high-risk HPV types. Sensitivity may be affected by specimen collection methods, stage of infection, and the presence of interfering substances. Results should be interpreted in conjunction with other available laboratory and clinical data. A negative high-risk HPV result does not exclude the presence of other high-risk HPV types.
	HPV testing should not be used for screening or management of atypical squamous cells of undetermined significance (ASCUS) in women under age 21.

VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
HPV Source	23-285-119026	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
HPV, High Risk by TMA	23-285-119026	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director