

Client: ARUP Example Report Only 500 Chipeta Way Salt Lake City, UT 84108 UNITED STATES

Physician: TEST, DR

Patient:

DOB 1/1/1987 **Sex:** Female

Patient Identifiers: Visit Number (FIN):

Collection Date: 8/19/2024 13:35

Preeclampsia Risk Assessment (sFlt-1/PlGF Ratio)

ARUP test code 3017909

Preeclampsia sFlt-1/PlGF Ratio, S/P

10 ratio (Ref Interval: <=39)

REFERENCE INTERVAL: Preeclampsia sflt-1/PlGF Ratio, S/P

The sFlt-1/PlGF ratio is indicated to be used as an aid in the management of the patient and is a prognostic assay intended to stratify hospitalized patients into two risk groups (low risk and high risk of progression to preeclampsia with severe features within two weeks from presentation).

The clinical cutoff for the sFlt-1/PlGF ratio is 40.

If the result of the ratio is greater than or equal to 40, the pregnant woman would be at high risk for progression to preeclampsia with severe features within 2 weeks.

If the result of the ratio is less than 40, the pregnant woman would be at low risk for progression to preeclampsia with severe features within 2 weeks.

The assay results should only be used in conjunction with information available from clinical evaluations and other standard of care procedures. The test result is not to be used to replace clinical judgment.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Preeclampsia sFlt-1/PlGF Ratio, S/P	24-232-114388	8/19/2024 1:35:00 PM	8/19/2024 1:35:30 PM	8/19/2024 1:37:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical