

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/26/1991
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Allergens, Food, Fish Profile 2 IgE

ARUP test code 3017914

Allergen, Food, Catfish IgE **1.00 KU/L H (Ref Interval: <=0.34)**

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Codfish IgE **1.00 KU/L H (Ref Interval: <=0.34)**

Allergen, Food, Gulf Flounder IgE **1.00 KU/L H (Ref Interval: <=0.34)**

Allergen, Food, Halibut IgE **1.00 KU/L H (Ref Interval: <=0.34)**

INTERPRETIVE INFORMATION: Allergen, Halibut

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Salmon IgE **1.00 KU/L H (Ref Interval: <=0.34)**

Allergen, Food, Trout IgE **1.00 KU/L H (Ref Interval: <=0.34)**

Allergen, Food, Tilapia IgE **1.00 KU/L H (Ref Interval: <=0.34)**

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Allergen, Interpretation (Not Client Orderable)

ARUP test code 0055041

Allergen, Interp, Immunocap Score IgE

See Note

REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected
 0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined
 0.35-0.70 kU/L.....Class 1.....Low
 0.71-3.50 kU/L.....Class 2.....Moderate
 3.51-17.50 kU/L.....Class 3.....High
 17.51-50.00 kU/L.....Class 4.....Very High
 50.01-100.00 kU/L.....Class 5.....Very High
 Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Catfish IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Codfish IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Gulf Flounder IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Halibut IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Salmon IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Trout IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Tilapia IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Interp, Immunocap Score IgE	24-304-105683	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: