

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/9/1982
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Kelch-Like Protein 11 Antibody, IgG by CBA-IFA With Reflex to Titer, Serum

ARUP test code 3018507

KLHL11 Ab IgG CBA-IFA Screen, Serum

Detected * (Ref Interval: <1:10)

KLHL11 Antibody, IgG is detected. Titer results to follow.

INTERPRETIVE INFORMATION: KLHL11 Antibody, IgG by CBA-IFA, Serum

IgG antibodies to KLHL11 are associated with paraneoplastic neurologic syndromes with phenotypes most often including a combination of brainstem and cerebellar encephalitis as well as sensorineural hearing loss. Patients with anti-KLHL11 syndromes should be thoroughly evaluated for cancer, including testicular cancer, as neurologic symptoms often precede cancer diagnosis. Consider sending testing in CSF as well as serum to improve diagnostic yield. Coexisting and clinically relevant antineural antibodies have been reported; consider ordering a phenotype-specific panel to assess for these. Results (positive or negative) should be interpreted in the context of the patient's complete clinical picture, as false positives may occur, and a negative result does not exclude the diagnosis of immune-mediated neurologic disease.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Kelch-Like Protein 11 (KLHL11) Antibody Titer, IgG by CBA-IFA, Serum-Not Orderable by Clients

ARUP test code 3018730

KLHL11 Ab IgG CBA-IFA Titer, Serum

>1:2560 H (Ref Interval: <1:10)

INTERPRETIVE INFORMATION: KLHL11 Ab IgG CBA-IFA Titer, Serum

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
KLHL11 Ab IgG CBA-IFA Screen, Serum	24-290-401441	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
KLHL11 Ab IgG CBA-IFA Titer, Serum	24-290-401441	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 24-290-401441
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 10/29/2024 8:49:07 AM
4848