

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/8/1975
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Flucytosine by Mass Spectrometry, Serum/Plasma

ARUP test code 3018708

Flucytosine, Serum/Plasma

None Det mcg/mL

Serum or Plasma
Reporting Limit: 10 mcg/mL

Synonym(s): Ancobon; 5-FC; 5-Fluorocytosine
Target therapeutic range: 25-100 mcg/mL.
Normal adults given a 2 g oral dose had peak serum concentrations of 30-40 mcg/mL within 2 hours.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Digital data review may have taken place remotely by qualified NMS staff utilizing a secure VPN connection for some or all of the reported results. This is in accordance with and follows CLIA regulations.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Flucytosine, Serum/Plasma	24-247-105850	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: