

Client: ARUP Example Report Only
500 Chipeta Way
Salt Lake City, UT 84108
UNITED STATES

Physician:

Patient: ARUPTest, 25864 Patient 9

DOB: 6/9/2004
Sex: Female
Patient Identifiers: 51290
Visit Number (FIN): 51677
Collection Date: 1/21/2025 13:02

Tobramycin Level, Random, Serum

ARUP test code 3018760

Tobramycin Level, Random

16.0 mcg/mL
Toxic:>12.0 mcg/mL

-----REFERENCE VALUE-----
Peak: 3.0-12.0
Trough: <2.0

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: Nikola A. Baumann Ph.D.; CLIA# 24D0404292

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Tobramycin Level, Random	25-021-111698	1/21/2025 1:02:00 PM	1/21/2025 1:31:32 PM	1/21/2025 2:34:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: ARUPTest, 25864 Patient 9
ARUP Accession: 25-021-111698
Patient Identifiers: 51290
Visit Number (FIN): 51677
Page 1 of 1 | Printed: 1/22/2025 7:23:36 AM