

Client: ARUP Example Report Only
500 Chipeta Way
Salt Lake City, UT 84108
UNITED STATES

Physician:

Patient: ARUPTest, 25864 Patient 9

DOB: 6/9/2004
Sex: Female
Patient Identifiers: 51290
Visit Number (FIN): 51677
Collection Date: 1/22/2025 08:34

Vancomycin Level, Random, Serum

ARUP test code 3018771

Vancomycin Level, Random 46.0 mcg/mL

-----REFERENCE VALUE-----
Peak: 20.0 - 45.0
Trough: 10.0 - 20.0

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: Nikola A. Baumann Ph.D.; CLIA# 24D0404292

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Vancomycin Level, Random	25-022-101193	1/22/2025 8:34:00 AM	1/22/2025 8:45:12 AM	1/22/2025 9:23:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: ARUPTest, 25864 Patient 9
ARUP Accession: 25-022-101193
Patient Identifiers: 51290
Visit Number (FIN): 51677
Page 1 of 1 | Printed: 1/22/2025 9:42:08 AM