

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/10/1996
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis B Virus Surface Antigen With Reflex to Confirmation and Reflex to Hepatitis Delta Virus Antibody by ELISA With Reflex to Hepatitis Delta Virus by Quantitative PCR

ARUP test code 3018776

Hepatitis B Surface Antigen

Negative (Ref Interval: Negative)
Based on the non-reactive HBSAg screen, the HBSAg Confirmation test is not indicated and therefore not performed.

INTERPRETIVE INFORMATION: Hepatitis B Surface Ag

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Antigen	24-316-108806	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: