

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/1/2000  
Sex: Female  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Collection Date: 01/01/2017 12:34

Measles Virus by Qualitative NAAT

ARUP test code 3019269

Measles Source	Resp Swab
Measles Virus, NAAT	Detected *
Measles Virus Vaccine Strain, NAAT	Not Detected
INTERPRETIVE INFORMATION: Measles by Qualitative NAAT	
A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay-specific nucleic acid in concentrations below the level of detection by this assay.	
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.	

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Measles Source	25-105-108108	4/15/2025 11:42:00 AM	4/15/2025 11:44:24 AM	4/15/2025 11:46:00 AM
Measles Virus, NAAT	25-105-108108	4/15/2025 11:42:00 AM	4/15/2025 11:44:24 AM	4/15/2025 11:46:00 AM
Measles Virus Vaccine Strain, NAAT	25-105-108108	4/15/2025 11:42:00 AM	4/15/2025 11:44:24 AM	4/15/2025 11:46:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 25-105-108108  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 1 | Printed: 4/15/2025 2:27:11 PM