

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 10/9/1990

Sex: Male

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD

Collection Date: 00/00/0000 00:00

Viral Hepatitis Prenatal Panel

ARUP test code 3019856

Hepatitis B Core Antibodies, Total

Positive * (Ref Interval: Negative)

The anti-HBC is reactive, which is consistent with recent or remote HBV infection. False positive anti-HBC results are not uncommon.

INTERPRETIVE INFORMATION: Hepatitis B Core Ab (Total)

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index

0.20 IV

Hepatitis C Antibody by CIA Interp

Negative (Ref Interval: Negative)

Based on the anti-HCV (CIA) screen, the HCV RNA by Quantitative NAAT test is not indicated and therefore not performed.

INTERPRETIVE INFORMATION: Hepatitis C Virus Ab w/Rflx to HCV NAAT

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Surface Antibody

3.00 IU/L

The anti-HBS is less than 10 IU/L and is therefore negative. There is no evidence of recovery from hepatitis B infection or evidence of antibody response to HBV vaccination.

An anti-HBS result greater than or equal to 10 IU/L indicates immunity.

Reference Interval: anti-HBS
9.99 IU/L or less Negative
10.00 IU/L or greater ... Positive
Results greater than 1,000.00 IU/L are reported as greater than 1,000.00 IU/L.

Hepatitis B Surface Antigen, Prenatal

See Confirm (Ref Interval: Negative)

The HBSAg screening test is strongly reactive. Refer to HBSAG

H=High, L=Low, * =Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 25-349-112599
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 12/16/2025 8:34:23 AM

Confirmation test for additional detail.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen with Reflex to Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Virus Surface Antigen Confirmation, Prenatal

ARUP test code 2007575

Hepatitis B Surface Ag Confirm, Prenatal

Positive ***(Ref Interval: Non Confirmed)**

Hepatitis B surface antigen (HBsAg) did neutralize using anti-HBs. This specimen is therefore POSITIVE for HBsAg. False positives can occur. If the result is not supported by clinical evidence, repeat testing of a new sample usually helps clarify the diagnosis.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Core Antibodies, Total	25-349-112599	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Index	25-349-112599	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Interp	25-349-112599	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antibody	25-349-112599	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antigen, Prenatal	25-349-112599	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Ag Confirm, Prenatal	25-349-112599	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, * =Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory DirectorPatient: Patient, Example
ARUP Accession: 25-349-112599
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 12/16/2025 8:34:23 AM