

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1752
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Bartonella henselae Antibody, IgG With Reflex to Endpoint Titer

ARUP test code 3019908

B. henselae IgG Screen

Positive * (Ref Interval: **Negative**)

Bartonella henselae screen is positive. Titer result to follow.

INTERPRETIVE INFORMATION: B. henselae Antibody, IgG
with Reflex

- Negative: No significant level of Bartonella henselae IgG antibody detected.
- Equivocal: Questionable presence of Bartonella henselae IgG antibody detected. Repeat testing in 10-14 days may be helpful.
- Positive: Presence of IgG antibody to Bartonella henselae detected, suggestive of current or past infection.

A low positive result suggests past exposure or infection, while a high positive result may indicate recent or current infection, but is inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Bartonella henselae Antibody, IgG Endpoint Titer

ARUP test code 3020056

B. henselae IgG Titer

1:256 * (Ref Interval: **<1:64**)

INTERPRETIVE INFORMATION: B. henselae Antibody, IgG Endpoint Titer

- Less than 1:64No significant level of Bartonella henselae IgG antibody detected.
- 1:64 - 1:128Questionable presence of Bartonella henselae IgG antibody detected. Repeat testing in 10-14 days may be helpful.
- 1:256 or greater ...Presence of IgG antibody to Bartonella henselae detected, suggestive of current or past infection.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 25-238-126588
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 11/4/2025 1:00:41 PM



This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
B. henselae IgG Screen	25-238-126588	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
B. henselae IgG Titer	25-238-126588	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 25-238-126588
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 11/4/2025 1:00:41 PM