

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB** 12/31/1752  
**Sex:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Bartonella quintana Antibody, IgG With Reflex to Endpoint Titer**

ARUP test code 3020065

B. quintana IgG Screen

Negative (Ref Interval: Negative)

INTERPRETIVE INFORMATION: B. quintana Antibody, IgG with Reflex

Negative: No significant level of B. quintana IgG

Equivocal: Questionable presence of B. quintana IgG antibody detected. Repeat testing in 10-14 days may be helpful.

Positive: Presence of IgG antibody to B. quintana IgG detected.

A low positive result suggests past exposure or infection, while a high positive result may indicate recent or current infection, but is inconclusive for diagnosis. Seroconversion between acute and convalescent sera is considered strong evidence of recent infection. The best evidence for infection is significant change on two appropriately timed specimens where both tests are done in the same laboratory at the same time.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
B. quintana IgG Screen	25-238-104189	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: