

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: Unknown
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

ThinPrep PAP Test Final Report

ARUP test code 3019530

ThinPrep Pap Specimen TEST

Clinical History Clinical Information: NA
LMP: NA
Pregnant: NA
Postpartum: NA
IUD: NA
Hormone Therapy: NA
Postmenopausal: NA
Hysterectomy: NA
Radiation or Chemotherapy: NA
Previous Abnormal Pap? Details: NA
ICD Code(s): NA

For PAP tests with an abnormal cytology result that were ordered as PAP with reflex HPV testing, the HPV result will be available in a separate report.

Specimen Adequacy Satisfactory for evaluation.

Interpretation Negative for intraepithelial lesion or malignancy.

07/23/26 Cytotechnologist: [Redacted]
07/23/26 Verified By: [Redacted]
electronic signature

University of Utah Health Care, Department of Pathology
500 Chipeta Way
Salt Lake City UT 84108

CPT Code(s) 88175
This testing has been processed utilizing the FDA approved Hologic Genius screening system.

Comments The Pap test is a screening test for cervical cancer and its precursors with an inherent false-negative rate.

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
ThinPrep Pap Specimen	CY-260-038440	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Clinical History	CY-260-038440	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Specimen Adequacy	CY-260-038440	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Interpretation	CY-260-038440	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
CPT Code(s)	CY-260-038440	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Comments	CY-260-038440	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical