

TEST CHANGE

Reference Interval:

Protein C, Functional 0030113, PROT C F

0030113, PROT C F	
Specimen Requirements:	
Patient Preparation:	
Collect:	Lt. blue (sodium citrate). SpecialRefer to Specimen Collection and Handling Hemostasis/Thrombosis Specimens guide located at https://www.aruplab.com/Specimen-Handling/SpecialSpecimenCollection/Hemostasis-Thrombosis.pdf for hemostasis/thrombosis specimen handling guidelines.
Specimen Preparation:	Transfer 1.5 mL platelet-poor plasma to an ARUP <u>standard</u> <u>transport tube</u> . (Min: 1 mL)
Transport Temperature:	CRITICAL FROZEN. Separate specimens must be submitted when multiple tests are ordered.
Unacceptable Conditions:	Serum. EDTA plasma, clotted or hemolyzed specimens.
Remarks:	
Stability:	Ambient: 4 hours; Refrigerated: Unacceptable; Frozen at -20 Degrees C: 3 months, at -70 Degrees C: 6 months
Methodology:	Electromagnetic Mechanical Clot Detection
Performed:	Sun-Sat
Reported:	1-2 days
Note:	
CPT Codes:	85303
New York DOH Approval Status:	This test is New York DOH approved.
Interpretive Data:	
Refer to report	
5 ()	

Effective Date: October 20, 2025



Effective Date: October 20, 2025

Effective November 17, 2014

Age	Reference Interval
1-4 days	17-53%
5-29 days	20-64%
30-89 days	21-65%
90-179 days	28-80%
180-364 days	37-81%
1-6 years	40-92%
7-9 years	70-142%
10-11 years	68-143%
12-13 years	66-162%
14-15 years	69-170%
16-17 years	70-171%
18 years and older	83-168%