

TEST CHANGE

Antidepressant Panel Quantitative, Urine

0096048, ANTIDEP U

Specimen Requirements:

Patient Preparation:

Collect: Random urine.

Specimen Preparation: Transfer 2 mL urine to an ARUP standard transport tube. (Min: 0.7 mL) Test is not performed at ARUP; separate specimens must be submitted when multiple tests are ordered.

Transport Temperature: Refrigerated. Also acceptable: Room temperature or frozen.

Unacceptable Conditions:

Remarks:

Stability: Ambient: 1 week; Refrigerated: 11 days; Frozen: 2 weeks

Methodology: Quantitative Gas Chromatography/Gas Chromatography-Mass Spectrometry (GC-MS)

Performed: Varies

Reported: ~~8-11~~⁴⁻⁷ days

Note: Panel includes: Amitriptyline, amoxapine, clomipramine, desmethylclomipramine, desipramine, doxepin, desmethyldoxepin, desmethyltrimipramine, fluoxetine, norfluoxetine, imipramine, maprotiline, mirtazapine, nortriptyline, protriptyline, trazodone, and trimipramine. Desmethylsertraline (sertraline metabolite) and norcyclobenzaprine (cyclobenzaprine metabolite) are known interferences for protriptyline.

CPT Codes: 80332; 80337; 80338 (Alt code: G0480)

New York DOH Approval Status: This test is New York DOH approved.

Interpretive Data:

Reference Interval:

Test Number	Components	Reference Interval



*A nonprofit enterprise of the University of Utah
and its Department of Pathology*

Effective Date: **August 5, 2024**