

## TEST CHANGE

### Sexually Transmitted Disease Panel 1 by Transcription-Mediated Amplification

2006258, STD PANEL1

#### Specimen Requirements:

Patient Preparation:	Swab or ThinPrep Collection: Patient must be 14 years of age or older.
Collect:	<p>Refer to "Sample Collection for the Diagnosis of STD" under Specimen Handling at <a href="http://www.aruplab.com">www.aruplab.com</a> for specific specimen collection and transport instructions.</p> <p>Vaginal specimen collected with pink swab from Aptima MultiTest Swab Collection kit (ARUP supply <a href="#">#65761 single collection kit</a> or <a href="#">#55224 pack of PK/50 collection kits</a> or <a href="#">#55229 PK/10</a>) available online through eSupply using ARUP Connect(TM) or contact Client Services at 800-522-2787.</p> <p>Cervical specimen collected with blue swab from Aptima Unisex Swab Specimen Collection kit (ARUP supply <a href="#">#65759 single collection kit</a> or <a href="#">#28907 pack of PK/50 collection kits</a> or <a href="#">#54555 PK/10</a>)</p> <p>First catch urine collected in sterile container and then transferred to Aptima Urine tube</p> <p>Cervical brush in ThinPrep Pap test collection kit.</p>
Specimen Preparation:	<p>Swab: Place swab in Swab Specimen Transport Tube, break shaft off at scoreline then recap tube.</p> <p>Urine: Within 24 hours, transfer 2 mL urine to Aptima Urine Specimen Transport Tube (ARUP supply <a href="#">#65760 single collection kit</a> or <a href="#">#28908 pack of PK/50 collection kits</a> or <a href="#">#54556 PK/10</a>). Liquid level must be between fill lines on tube.</p> <p>ThinPrep: Vortex ThinPrep PreservCyt solution and transfer 1 mL to an Aptima Specimen Transfer Tube (ARUP supply <a href="#">#42711</a>).</p>
Transport Temperature:	Refrigerated.
Unacceptable Conditions:	Large white swab included in Aptima Unisex Swab Specimen Collection kit is for preparatory cleaning of the endocervix and is unacceptable for testing. Specimens in any transport media other than indicated above. Specimen in swab transport media without a swab.
Remarks:	Specimen source is required.
Stability:	<p>MultiTest or Unisex Swab: Ambient: 2 months; Refrigerated: 2 months; Frozen: 1 year</p> <p>Aptima Urine Specimen Transport Tube: Ambient: 1 month; Refrigerated: 1 month; Frozen: 3 months</p> <p>Aptima Specimen Transfer Tube: Ambient: 2 weeks; Refrigerated: 1 month; Frozen: 1 year</p> <p>ThinPrep: Ambient: 1 month; Refrigerated: 1 month; Frozen: Unacceptable</p>

**Methodology:** Qualitative Nucleic Acid Amplification Test (NAAT)

**Note:**

**CPT Codes:** [87494](#)[87491](#); [87591](#); 87661

**New York DOH Approval Status:** This test is New York DOH approved.

**Interpretive Data:**

Refer to report.

**Reference Interval:**

Test Number	Components	Reference Interval
	C. trachomatis by TMA	Negative
	N. gonorrhoeae by TMA	Negative
	T. vaginalis by TMA	Negative