

**Reference Interval:**

Test Number	Components	Reference Interval	
	Measles (Rubeola) Antibody, IgG	Effective September 3, 2019	
		13.4 AU/mL or less	Negative - No significant level of detectable measles (rubeola) IgG antibody.
		13.5-16.4 AU/mL	Equivocal - Repeat testing in 10-14 days may be helpful.
		16.5 AU/mL or greater	Positive - IgG antibody to measles (rubeola) detected, which may indicate a current or past exposure/immunization to measles (rubeola).
	Mumps Virus Antibody, IgG	Effective August 20, 2012	
		8.9 AU/mL or less	Negative - No significant level of detectable IgG mumps virus antibody.
		9.0-10.9 AU/mL	Equivocal - Repeat testing in 10-14 days may be helpful.
		11.0 AU/mL or greater	Positive - IgG antibody to mumps virus detected, which may indicate a current or past exposure/immunization to mumps virus.
	Rubella Virus Antibody IgG	Less than 9 IU/mL	Not Detected.
		9-9.9 IU/mL	Indeterminate - Repeat testing in 10-14 days may be helpful.
		10 IU/mL or greater	Detected.
	Varicella-Zoster Virus Antibody, IgG	Effective August 20, 2012	
		134 IV or less	Negative - No significant level of detectable varicella-zoster IgG antibody.
		135-165 IV	Equivocal - Repeat testing in 10-14 days may be helpful.
		166 IV or greater	Positive - IgG antibody to varicella-zoster detected, which may indicate a current or past varicella-zoster infection.