

Specimen Required: Collect: Random Urine.

Specimen Preparation: Transfer 4 mL each into **two** (2) ARUP Standard Transport Tubes urine with no additives or preservatives. (Min: 2 mL each)

Storage/Transport Temperature: Refrigerated.

Unacceptable Conditions: Specimens exposed to multiple freeze/thaw cycles, Pharmaceutical preparation.

Stability (collection to initiation of testing): Ambient: 1 week; Refrigerated: 1 month; frozen: **1 month**

Reference Interval:

Effective May 17, 2021

Drugs covered and range of cutoff concentrations

Drugs/Drug Classes	Screen
Amphetamines	300 ng/mL
Barbiturates	200 ng/mL
Benzodiazepines	200 ng/mL
Buprenorphine	5 ng/mL
Carisoprodol	100 ng/mL
Cocaine	150 ng/mL
Ethyl Glucuronide	500 ng/mL
Fentanyl	1 ng/mL
MDMA (Ecstasy)	500 ng/mL
Meperidine	200 ng/mL
Methadone	150 ng/mL
Opiates	300 ng/mL
Oxycodone	100 ng/mL
Phencyclidine	25 ng/mL
Propoxyphene	300 ng/mL
Tapentadol	200 ng/mL
Tramadol	100 ng/mL
THC (Cannabinoids)	20 ng/mL
Zolpidem	20 ng/mL

HOTLINE NOTE: There is a reflexive pattern change associated with this test.

Add reflex to 3003726, Propoxyphene and Metabolite, Urine

Remove reflex from 2010468, Propoxyphene and Metabolite, Urine, Quantitative