

HOTLINE: Effective February 1, 2021

Non-Criteria Antiphospholipid Syndrome (APS) (aPs, aPt, aPs/aPt) Antibodies

NCAPS PAN

Panel

Specimen Required: Collect: Serum separator tube (SST).

Specimen Preparation: Separate serum from cells ASAP or within 2 hours of collection. Transfer 1.5 mL serum to an ARUP Standard

Transport Tube. (Min: 0.9 mL)

Storage/Transport Temperature: Refrigerated.

<u>Unacceptable Conditions:</u> Heat-inactivated, grossly hemolyzed, icteric, or lipemic specimens.

Stability (collection to initiation of testing): After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 month

Reference Interval:

Test Number	Components	Reference Interval
0050906	Phosphatidylserine Antibody, IgG	Effective February 1, 2021 Less than 16 GPS
0050907	Phosphatidylserine Antibody, IgM	Effective February 1, 2021 Less than 22 MPS
2009447	Phosphatidylserine and Prothrombin Antibody, IgG	0-30 Units
2009449	Phosphatidylserine and Prothrombin Antibody, IgM	0-30 Units
0051302	Prothrombin Antibody, IgG	Effective 5/21/2018 Less than 20 Units

GPS: IgG antiphosphatidylserine units MPS: IgM antiphosphatidylserine units

HOTLINE NOTE: There is a unit of measure change associated with this test.

Change the unit of measure for component 0050906, Phosphatidylserine Antibody IgG from U/mL to GPS. Change the unit of measure for component 0050907, Phosphatidylserine Antibody IgM from U/mL to MPS.