

**TEST CHANGE**

**BRAF V600E Mutation Detection in Circulating Cell-Free DNA by Digital Droplet PCR**  
2013921, BRAF CFDNA

**Specimen Requirements:**

**Patient Preparation:**

**Collect:** Whole blood in two 10mL ~~cell-free~~Cell-Free DNA (cfDNA) BCT ~~t~~Tubes. Specimens must be collected using the Kit, Cell-Free DNA Blood Collection Tube (ARUP Supply #52358) available online through eSupply using ARUP Connect(~~TM~~) or contact ARUP Client Services at ~~(800-)~~522-2787.

**Specimen Preparation:** Transport 20 mL whole blood in cfDNA BCT ~~t~~Tubes. (Min: ~~1 tube with 10~~6 mL)

**Transport Temperature:** Refrigerated.

**Unacceptable Conditions:** FFPE tissue. Whole blood collected in non-cfDNA BCT tubes.

**Remarks:**

**Stability:** Ambient: 5 days; Refrigerated: 5 days; Frozen: Unacceptable

**Methodology:** Polymerase Chain Reaction (PCR)

**Note:**

**CPT Codes:** 81210

**New York DOH Approval Status:** This test is New York DOH approved.

**Interpretive Data:**

~~This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.~~

**Reference Interval:**

Refer to report.

Deleted Cells

Deleted Cells