

TEST CHANGE

Hypersensitivity Pneumonitis Panel

3000477, HYPER PAN

Specimen Requirements:

Patient Preparation:

Collect: Serum separator tube.

Specimen Preparation: Separate serum from cells ASAP or within 2 hours of collection. Transfer 1 mL serum to an ARUP Standard Transport Tube. (Min: 0.15 mL)

Transport Temperature: Refrigerated.

Unacceptable Conditions: Plasma.

Remarks:

Stability: After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 year (avoid repeated freeze/thaw cycles)

Methodology: Qualitative Immunodiffusion

Performed: Sun-Sat

Reported: 3-7~~5~~ days

Note: Testing includes antibodies directed at Aspergillus fumigatus #1, Aspergillus fumigatus #6, Aureobasidium pullulans, Pigeon Serum, Micropolyspora faeni, ~~Thermoactinomyces vulgaris #1,~~ Aspergillus flavus, Aspergillus fumigatus #2, Aspergillus fumigatus #3, Saccharomonospora viridis, and Thermoactinomyces candidus.

CPT Codes: 86331 ~~x5~~~~x6~~; 86606 x5

New York DOH Approval Status: This test is New York DOH approved.

Interpretive Data:

Reference Interval:

Test Number	Components	Reference Interval
	A. fumigatus #1 Ab, Precipitin	None detected
	A. fumigatus #6 Ab, Precipitin	None detected
	A. pullulans Ab, Precipitin	None detected
	Pigeon Serum Ab, Precipitin	None detected
	M. faeni Ab, Precipitin	None detected
	T. vulgaris #1 Ab, Precipitin	None detected
	A. flavus Ab, Precipitin	None detected
	A. fumigatus #2 Ab, Precipitin	None detected
	A. fumigatus #3 Ab, Precipitin	None detected
	S. viridis Ab, Precipitin	None detected
	T. candidus Ab, Precipitin	None detected

HOTLINE NOTE: There is a component change associated with this test. One or more components have been added or removed. Refer to the Hotline Test Mix for interface build information.

HOTLINE NOTE: There is a price change associated with this test. Please contact ARUP Client Services at (800) 522-2787 for additional information.