
New Test	3001283	Autoimmune CNS Demyelinating Disease Reflexive Panel	CNS PAN
-----------------	----------------	---	----------------



Additional Technical Information

Methodology: Semi-Quantitative Indirect Fluorescent Antibody
Performed: Wed
Reported: 1-8

Specimen Required: Collect: Serum Separator Tube (SST).

Specimen Preparation: Separate from cells ASAP or within 2 hours of collection. Transfer 1 mL serum to an ARUP Standard Transport Tube. (Min: 0.3 mL)

Storage/Transport Temperature: Refrigerated.

Unacceptable Conditions: Hemolyzed, contaminated, or severely lipemic specimens.

Stability (collection to initiation of testing): After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 month (avoid repeated freeze/thaw cycles)

Reference Interval:

Test Number	Components	Reference Interval
2013320	Aquaporin-4 Receptor Antibody, IgG by IFA with Reflex to Titer, Serum	Less than 1:10
3001277	Myelin Oligodendrocyte Glycoprotein (MOG) Antibody, IgG by IFA with Reflex to Titer, Serum	Less than 1:10

Interpretive Data: Refer to report.

See Compliance Statement D: www.aruplab.com/CS

Note: If Aquaporin-4 Receptor Antibody, IgG by IFA with Reflex to Titer, Serum is positive, then an Aquaporin-4 Receptor Antibody, IgG by IFA, Serum Titer will be added. If Myelin Oligodendrocyte Glycoprotein (MOG) Antibody, IgG by IFA with Reflex to Titer, Serum is positive, then a Myelin Oligodendrocyte Glycoprotein (MOG) Antibody Titer, IgG will be added. Additional charges apply.

CPT Code(s): 86255 x2; if reflexed, add 86256

New York DOH approval pending. Call for status update.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.