

TEST CHANGE

Basement Membrane Zone Antibody Panel

3001410, BMZ AB PAN

Specimen Requirements:

Patient Preparation:

Collect: Plain Red or Serum Separator Tube (SST).

Specimen Preparation: Transfer 2 mL serum to an ARUP Standard Transport Tube. (Min: 0.5 mL)

Transport Temperature: Refrigerated/~~Ambient~~.

Unacceptable Conditions: Hemolyzed or lipemic specimens. Plasma

Remarks: As a general rule, serum specimens should be shipped to the laboratory as soon as possible. Store refrigerated unless shipping promptly (within 2 hours). Transport at ambient temperature to arrive within 7 days. If 7-14 days until received in laboratory, store and ship refrigerated. If greater than 14 days, serum specimens must be stored and shipped frozen.

Stability: Ambient: 1 week; Refrigerated: 2 weeks; Frozen: Indefinitely

Methodology: Semi-Quantitative Indirect Immunofluorescence (IIF)/Semi-Quantitative Enzyme-Linked Immunosorbent Assay (ELISA)

Performed: Varies

Reported: 34-9 days

Note: For specimens less than 0.5 mL, call the Immunodermatology Laboratory at 801-581-7139(~~866~~)-266-5699.

CPT Codes: 88346; 88350 x3; 83516 x3

New York DOH Approval Status: This test is New York DOH approved.

Interpretive Data:

Refer to report.

Reference Interval:

By report



*A nonprofit enterprise of the University of Utah
and its Department of Pathology*

Effective Date: **January 21, 2025**