

HOTLINE: Effective November 18, 2019

3001431 Autoimmune Encephalitis Extended Panel, Serum
ENCEPH EXT
Reference Interval:

Test Number	Components	Reference Interval	
2004221	N-methyl-D-Aspartate Receptor Antibody, IgG, Serum with Reflex to Titer	< 1:10	
2001771	Glutamic Acid Decarboxylase Antibody	0.0-5.0 IU/mL	
2004890	Voltage-Gated Potassium Channel (VGKC) Antibody, Serum	Negative	31 pmol/L or less
		Indeterminate	32-87 pmol/L
		Positive	88 pmol/L or greater
2003036	Aquaporin-4 Receptor Antibody	Effective October 3, 2016	
		Negative	2.9 U/mL or less
		Positive	3.0 U/mL or greater
2013320	Aquaporin-4 Receptor Antibody, IgG by IFA with Reflex to Titer, Serum	Less than 1:10	
2009456	Leucine-Rich, Glioma-Inactivated Protein 1 Antibody, IgG with Reflex to Titer, Serum	Less than 1:10	
2009452	Contactin-Associated Protein-2 Antibody, IgG with Reflex to Titer, Serum	Less than 1:10	
3001260	Alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid (AMPA) Receptor Antibody, IgG by IFA with Reflex to Titer, Serum	Less than 1:10	
3001270	Gamma Aminobutyric Acid Receptor, Type B (GABA-BR) Antibody, IgG by IFA with Reflex to Titer, Serum	Less than 1:10	
3001277	Myelin Oligodendrocyte Glycoprotein (MOG) Antibody, IgG by IFA with Reflex to Titer, Serum	Less than 1:10	

HOTLINE NOTE: There is a clinically significant charting name change associated with this test.

Change the charting name for component 2009453, CASPR2 Ab IgG Screen by IFA to **CASPR2 Ab IgG Screen by IFA, Serum**.

Change the charting name for reflexed component 2009455 from CASPR2 Ab IgG Titer by IFA to **CASPR2 Ab IgG Titer by IFA, Serum**.

Change the charting name for component 2009457, LGI1 Ab IgG Screen by IFA to **LGI1 Ab IgG Screen by IFA, Serum**.

Change the charting name for reflexed component 2009459, LGI1 Ab IgG Titer by IFA to **LGI1 Ab IgG Titer by IFA, Serum**.