

HOTLINE: Effective May 20, 2019

New Test	3001499	Islet Antigen-2 (IA-2) Autoantibody, Serum	IA-2 AB
-----------------	----------------	---	----------------



Additional Technical Information

Methodology: Quantitative Enzyme-Linked Immunosorbent Assay
Performed: Mon, Wed, Fri
Reported: 2-10 days

Specimen Required: Collect: Plain Red or Serum Separator Tube (SST).

Specimen Preparation: Transfer 0.5 mL serum to an ARUP Standard Transport Tube. (Min: 0.35 mL)

Storage/Transport Temperature: Refrigerated.

Unacceptable Conditions: Plasma. Specimens submitted in frozen Serum Separator Tubes (SST). Grossly hemolyzed, icteric, or lipemic specimens.

Stability (collection to initiation of testing): After separation from cells: Ambient: 24 hours; Refrigerated: 1 week; Frozen: 1 month

Reference Interval: 0.0-7.4 Units/mL

Interpretive Data: A value greater than or equal to 7.5 Units/mL is considered positive for IA-2 autoantibody.

This assay is intended for the quantitative determination of autoantibodies to Islet Antigen-2 (IA-2) in human serum. Results should be interpreted within the context of clinical symptoms.

CPT Code(s): 86341

New York DOH Approved.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.