

HOTLINE: Effective August 19, 2019

New Test 3001712 Allergen, Region 2 Respiratory Panel IgE REG2PANEL

Methodology: Quantitative ImmunoCAP Fluorescent Enzyme Immunoassay

Performed: Sun-Sat **Reported:** 1-2 days

Specimen Required: Patient Prep: Multiple patient encounters should be avoided.

Collect: Serum Separator Tube (SST). Multiple specimen tubes should be avoided.

Specimen Preparation: Separate from cells ASAP or within 2 hours of collection. Transfer 4 mL serum to an ARUP Standard

Transport Tube. (Min: 1.3 mL)

Storage/Transport Temperature: Refrigerated.

Unacceptable Conditions: Hemolyzed, icteric, or lipemic specimens.

Stability (collection to initiation of testing): After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 year

Reference Interval:

Allergens, Respiratory Panel, Region 2, Mid-Atlantic (DE, MD, VA, DC, NC) IgE Reference Intervals for all Components

Reporting Range (reported in kU/L)	Probability of IgE Mediated Clinical Reaction	Class Scoring	
Less than 0.10	No significant level detected	0	
0.10-0.34	Clinical relevance undetermined	0/1	
0.35-0.70	Low	1	
0.71-3.50	Moderate	2	
3.51-17.50	High	3	
17.51 - 50.00	Very High	4	
50.01 - 100.00	Very high	5	
Greater than 100.00	Very high	6	

Test Number	Components	Reference Interval	
0050345	Immunoglobulin E	Effective November 17, 2014	
		Age	Reference Interval
		0-5 months	13 kU/L or less
		6-12 months	34 kU/L or less
		1-2 years	97 kU/L or less
		3 years	199 kU/L or less
		4-6 years	307 kU/L or less
		7-8 years	403 kU/L or less
		9-12 years	696 kU/L or less
		13-15 years	629 kU/L or less
		16-17 years	537 kU/L or less
		18 years and older	214 kU/L or less

Interpretive Data: Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

Note: Allergens included in this panel: Alternaria alternata (tenuis), Aspergillus fumigatus, Bermuda Grass, Birch Tree, Box Elder/Maple Tree, Cat Dander, Cockroach (German), Common Short Ragweed, Cottonwood Tree, D. pteronyssinus (mites), D. farinae (mites), Dog Dander, Elm Tree, Hormodendrum (Cladosporium), Johnson Grass, Mouse Epithelium, Mountain Cedar (Juniper) Tree, Mucor racemosus, Oak Tree, Pecan Tree, Penicillium notatum, Pigweed, Sheep Sorrel (Dock), Timothy Grass, White Mulberry Tree, and IgE Serum Total.

CPT Code(s): 86003 x25; 82785

New York DOH Approved.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.