

HOTLINE: Effective August 19, 2019

New Test 3001728 Allergen, Region 18 Respiratory Panel IgE REG18PANEL

Methodology: Quantitative ImmunoCAP Fluorescent Enzyme Immunoassay

Performed: Sun-Sat **Reported:** 1-2 days

Specimen Required: Patient Prep: Multiple patient encounters should be avoided.

Collect: Serum Separator Tube (SST). Multiple specimen tubes should be avoided.

Specimen Preparation: Separate from cells ASAP or within 2 hours of collection. Transfer 3 mL serum to an ARUP Standard

Transport Tube. (Min: 1 mL)

Storage/Transport Temperature: Refrigerated.

<u>Unacceptable Conditions:</u> Hemolyzed, icteric, or lipemic specimens.

Stability (collection to initiation of testing): After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 year

Reference Interval:

Reference Intervals for all Components

Moretime intervitability and components			
Reporting Range	Probability of IgE Mediated	Class Scoring	
(reported in kU/L)	Clinical Reaction		
Less than 0.10	No significant level detected	0	
0.10-0.34	Clinical relevance undetermined	0/1	
0.35-0.70	Low	1	
0.71-3.50	Moderate	2	
3.51-17.50	High	3	
17.51 - 50.00	Very High	4	
50.01 - 100.00	Very high	5	
Greater than 100.00	Very high	6	

Test Number	Components	Reference Interval	
0050345	Immunoglobulin E	Effective November 17, 2014	
		Age	Reference Interval
		0-5 months	13 kU/L or less
		6-12 months	34 kU/L or less
		1-2 years	97 kU/L or less
		3 years	199 kU/L or less
		4-6 years	307 kU/L or less
		7-8 years	403 kU/L or less
		9-12 years	696 kU/L or less
		13-15 years	629 kU/L or less
		16-17 years	537 kU/L or less
		18 years and older	214 kU/L or less

Interpretive Data: Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

Note: Allergens included in this panel: Alder Tree, *Alternaria alternata (tenuis)*, *Aspergillus fumigatus*, Birch Tree, Cat Dander, Cockroach (German), Cottonwood Tree, *D. farinae* (mites), *D. Pteronyssinus* (mites), Dog Dander, *Hormodendrum (Cladosporium)*, Mouse Epithelium, *Mucor racemosus*, Mugwort, *Penicillium notatum*, Sheep Sorrel (Dock), Timothy Grass, and IgE Serum Total.

CPT Code(s): 86003 x17; 82785

New York DOH Approved.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.