

HOTLINE: Effective August 19, 2019

New Test **3001730** **Allergen, Region 20 Respiratory Panel IgE** **REG20PANEL**

Methodology: Quantitative ImmunoCAP Fluorescent Enzyme Immunoassay
Performed: Sun-Sat
Reported: 1-2 days

Specimen Required: Patient Prep: Multiple patient encounters should be avoided.
Collect: Serum Separator Tube (SST). Multiple specimen tubes should be avoided.
Specimen Preparation: Separate from cells ASAP or within 2 hours of collection. Transfer 4 mL serum to an ARUP Standard Transport Tube. (Min: 1.3 mL)
Storage/Transport Temperature: Refrigerated.
Unacceptable Conditions: Hemolyzed, icteric, or lipemic specimens.
Stability (collection to initiation of testing): After separation from cells: Ambient: 48 hours; Refrigerated: 2 weeks; Frozen: 1 year

Reference Interval:

**Allergens, Respiratory Panel, Region 20, Hawaii IgE
Reference Intervals for all Components**

Reporting Range (reported in kU/L)	Probability of IgE Mediated Clinical Reaction	Class Scoring
Less than 0.10	No significant level detected	0
0.10-0.34	Clinical relevance undetermined	0/1
0.35-0.70	Low	1
0.71-3.50	Moderate	2
3.51-17.50	High	3
17.51 - 50.00	Very High	4
50.01 - 100.00	Very high	5
Greater than 100.00	Very high	6

Test Number	Components	Reference Interval
0050345	Immunoglobulin E	Effective November 17, 2014
		Age
		Reference Interval
		0-5 months
		13 kU/L or less
		6-12 months
		34 kU/L or less
		1-2 years
		97 kU/L or less
		3 years
		199 kU/L or less
		4-6 years
		307 kU/L or less
		7-8 years
		403 kU/L or less
		9-12 years
		696 kU/L or less
		13-15 years
		629 kU/L or less
		16-17 years
		537 kU/L or less
		18 years and older
		214 kU/L or less

Interpretive Data: Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

Note: Allergens included in this panel: *Alternaria alternata* (tenuis), *Aspergillus fumigatus*, Bahia Grass, Bayberry Tree, Bermuda Grass, Cat Dander, Cocklebur, Cockroach (German), Common Short Ragweed, *D. pteronyssinus* (mites), *D. farinae* (mites), Dog Dander, English Plantain, Eucalyptus Tree, *Hormodendrum* (*Cladosporium*), Mesquite Tree, Mouse Epithelium, *Mucor racemosus*, Palm Tree, *Penicillium notatum*, Perennial Rye Grass, Pigweed, Pine/Australian Pine, Sagebrush/Wormwood, White Mulberry Tree, and IgE Serum Total.

CPT Code(s): 86003 x25; 82785

New York DOH Approved.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.