

---

**New Test**      **3002286**      **Cerebral Cavernous Malformation Panel, Sequencing and Deletion/Duplication**      **CCM NGS**

Available Now



Additional Technical Information



Patient History for Cerebral Cavernous Malformation Panel, Sequencing and Deletion/Duplication

**Methodology:**      Massively Parallel Sequencing/Genomic Microarray (Oligo-based Array)  
**Performed:**      Varies  
**Reported:**      3-6 weeks

**Specimen Required:** Collect: Lavender (EDTA) or Yellow (ACD Solution A or B).  
Specimen Preparation: Transport 3 mL whole blood. (Min: 1.5 mL)  
Storage/Transport Temperature: Refrigerated.  
Unacceptable Conditions: Serum or plasma; grossly hemolyzed or frozen specimens  
Stability (collection to initiation of testing): Ambient: 72 hours; Refrigerated: 1 week; Frozen: Unacceptable

**Reference Interval:**      By report

**Interpretive Data:**  
Refer to report.

See Compliance Statement C: [www.aruplab.com/CS](http://www.aruplab.com/CS)

**Note:** Genes tested: *CCM2*, *KRIT1*, *PDCD10*

**CPT Code(s):**      81479

New York DOH approval pending. Call for status update.

**HOTLINE NOTE:** Refer to the Test Mix Addendum for interface build information.