

TEST CHANGE

Mucopolysaccharidoses Type 4A/6 Total Chondroitin Sulfate and Dermatan Sulfate with NRE (Sensi-Pro(R)) Quantitative, Urine

3003539, MPS 4A/6 U

Specimen Requirements:

Patient Preparation: N/A

Collect: Urine

Specimen Preparation: Transfer 0.25 mL urine to polypropylene sample tube and freeze immediately. (Min 0.15 mL)

Transport Temperature: Critical Frozen

Unacceptable Conditions: Specimens containing preservatives or heparin

Remarks: N/A

Stability: Ambient: Unacceptable; Refrigerated: Unacceptable; Frozen: 1 year (3 freeze thaw cycles are acceptable)

Methodology: Liquid Chromatography-Tandem Mass Spectrometry

Performed: Tue

Reported: 14-21 days

Note:

CPT Codes: 83864

New York DOH Approval Status: Specimens from New York clients will be sent out to a New York DOH approved laboratory, if possible.

Interpretive Data:

Refer to report.

Total Chondroitin Sulfate and Dermatan Sulfate, Urine is a sum of the internal disaccharides D0a0, D0a4, and D0a6.

NRE = Non Reducing End

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Reference Interval:

By report

HOTLINE NOTE: There is a unit of measure change associated with this test. Refer to the Hotline Test Mix for interface build information.