

HOTLINE: Effective July 5, 2022

New Test **3003684** ***NTRK* Fusion Panel by Next Generation Sequencing** **NTRK PAN**

Methodology: Massively Parallel Sequencing
Performed: Varies
Reported: 21-24 days

Specimen Required: Collect: Tumor tissue

Specimen Preparation: Formalin fix (10 percent neutral buffered formalin) and paraffin embed tissue. Transport tissue block or 1 H&E slide plus 10 unstained (5-micron thick), positively charged slides in a tissue transport kit (ARUP supply #47808) available online through eSupply using ARUP Connect or contact ARUP Client Services at (800)522-2787. (Min: 5 slides). Protect from extreme temperatures. **Test is not performed at ARUP; separate specimens must be submitted when multiple tests are ordered.**

Storage/Transport Temperature: Refrigerated. Also acceptable: Ambient.

Remarks: Body site and reason for referral must be provided prior to testing.

Unacceptable Conditions: Fixed in any other fixative other than 10% neutral buffered formalin.

Stability (collection to initiation of testing): Ambient: Indefinitely; Refrigerated: Indefinitely; Frozen: Unacceptable

Reference Interval: By report

CPT Code(s): 81194

New York DOH approval pending. Call for status update.

HOTLINE NOTE: Refer to the Test Mix Addendum for interface build information.