

**TEST CHANGE**

**Pharmacogenetics Panel: Psychotropics**

3004471, PGX PSYCH

**Specimen Requirements:**

**Patient Preparation:**

**Collect:** Whole Blood: Lavender (EDTA), pink (K2EDTA), or yellow (ACD solution A or B).

**Specimen Preparation:** Transport 3 mL whole blood. (Min: 1 mL)

**Transport Temperature:** Refrigerated.

**Unacceptable Conditions:** Plasma or serum. Specimens collected in sodium heparin or lithium heparin. Frozen specimens in glass collection tubes.

**Remarks:**

**Stability:** Ambient: 72 hours; Refrigerated: 1 week; Frozen: 1 month

**Methodology:** Polymerase Chain Reaction (PCR)/~~Fluorescence Monitoring/Sequencing~~

**Performed:** Varies

**Reported:** 5-10 days

**Note:** Whole blood is the preferred specimen type. Saliva samples that yield inadequate DNA quality and/or quantity will be reported as inconclusive if test performance does not meet laboratory-determined criteria for reporting. Saliva is only validated for the OpenArray and CNV portions of testing and not the long-range PCR/duplication testing. Long-range PCR/duplication testing will not be performed for saliva samples. If long-range PCR/duplication testing is performed, additional charges apply. Approximately less than 5% of samples require 2D6 copy number determination.

**CPT Codes:** 81225; 81226; 81227; 81230; 81231; 81291; 81479; if reflexed, add 81479

**New York DOH Approval Status:** This test is New York DOH approved.

**Interpretive Data:**

~~Refer to report~~ [Refer to report](#)

~~This test was developed and its performance characteristics determined by ARUP Laboratories. It~~

~~has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.~~

Counseling and informed consent are recommended for genetic testing. Consent forms are available online.

Reference Interval:

By report

---

**HOTLINE NOTE: There is a component change associated with this test. One or more components have been added or removed. Refer to the Hotline Test Mix for interface build information.**