

TEST CHANGE

Pharmacogenetics Panel: Psychotropics, with GeneDose Access

3006366, PGXPSYC GD

Specimen Requirements:

Patient Preparation:

Collect: Whole Blood: Lavender (EDTA), pink (K2EDTA), or yellow (ACD

solution A or B).

Specimen Preparation: Transport 3 mL whole blood. (Min: 1 mL)

Transport Temperature: Refrigerated

Unacceptable Conditions: Plasma or serum. Specimens collected in sodium heparin or

lithium heparin. Frozen specimens in glass collection tubes.

Effective Date: November 13, 2023

Remarks:

Stability: Ambient: 72 hours; Refrigerated: 1 week; Frozen: 1 month

Methodology: Polymerase Chain Reaction (PCR)/Fluorescence

Monitoring/Sequencing

Performed: Varies

Reported: 5-10 days

Note: Whole blood is the preferred specimen type. Saliva samples

that yield inadequate DNA quality and/or quantity will be reported as inconclusive if test performance does not meet laboratory-determined cirteria for reporting. Saliva is only validated for the OpenArray and CNV portions of testing and not the long-range PCR/duplication testing. Long-range PCR/duplication testing will not be performed for saliva samples. If long-range PCR/duplication testing is performed, additional charges apply. Approximately less than 5% of

samples require 2D6 copy number determination.

CPT Codes: 81225; 81226; 81227; 81230; 81231; 81291; 81479; if reflexed,

add 81479

New York DOH Approval Status: This test is New York DOH approved.

Interpretive Data:

Refer to report Refer to report.

This test was developed and its performance characteristics determined by ARUP Laboratories. It



ABORATŌRIES

Effective Date: November 13, 2023

has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Counseling and informed consent are recommended for genetic testing. Consent forms are available online.

Reference Interval:

HOTLINE NOTE: There is a component change associated with this test. One or more components have been added or removed. Refer to the Hotline Test Mix for interface build information.