

TEST CHANGE

Cytogenomic SNP Microarray - RAPID

3016596, CMA RAPID

Specimen Requirements:

Patient Preparation: IF Buccal swab: Patient should not eat, drink, smoke, or chew gum for 30 minutes before collecting oral sample.

Collect: Peripheral blood or cord blood collected in lavender (K2EDTA) or in green (sodium heparin).
OR Buccal swab: collect one buccal swab using the ORAcollection Collection Kit (ARUP supply #49295). Available online through eSupply using ARUP Connect(TM) or contact ARUP Client Services at 800-522-2787.
New York State Clients: Green (sodium heparin) AND lavender (K2EDTA).

Specimen Preparation: Whole Blood: Transport 3 mL. (Min: 0.5 mL)
Buccal Swab: ensure the sponge tip does not come in contact with any surface prior to collection. Transport buccal swab in ORAcollection Collection Kit.
New York State Clients: Transport 4 mL whole blood in the original green (sodium heparin) tube and 3 mL whole blood in the original lavender (K2EDTA) tube. (Min: 2 mL sodium heparin and 2 mL EDTA).

Transport Temperature: Preferred transport temp: Room temperature.

Unacceptable Conditions: Frozen or clotted specimens

Remarks:

Stability: Whole blood: Room temperature: 2 days; Refrigerated: 3 days; Frozen: Unacceptable
Buccal swab: Room temperature: 1 week; Refrigerated: 1 week; Frozen: Unacceptable

Methodology: Genomic Microarray (Oligo-SNP Array)

Note:

CPT Codes: 81229

New York DOH Approval Status: Specimens from New York clients will be sent out to a New York DOH approved laboratory, if possible.

Interpretive Data:

Refer to report.

Reference Interval:

