

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/3/1971
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis C Virus (HCV) GenoSure NS3 and NS4A

ARUP test code 3001234

EER HCV GenoSure NS3 and NS4A

See Note
Access ARUP Enhanced Report using the link below:
-Direct access:
[REDACTED]

HCV GenoSure NS3 and NS4A

See Comments
HCV GenoSure(TM) NS3/4A
Comments: Q80K NOT DETECTED.
HCV Genotype: 1a

Drug Generic Name	Brand/ Regimen	Genotypic Assessment	Comments
PI			
Glecaprevir	Mavyret	None/Undetermined	
GLE RAVs*: None			
Grazoprevir	Zepatier	None/Undetermined	
GZR RAVs*: None			
Paritaprevir	Viekira Pak	None/Undetermined	
PTV/r RAVs*: None			
Simeprevir	Olysio	None/Undetermined	
SMV RAVs*: None			
Voxilaprevir	Vosevi	None/Undetermined	
VOX RAVs*: None			

*RAVs = Resistance Associated Variants detected
Summary of All Variants Observed:
NS3 (Protease: aa 1-181, Helicase: aa 182-644)
I18V, V33V/I, T40A, S91A, L153I, V248I, P264P/S, V329I,
S332P, S342A, V358A/T, I386V, S410A, F418Y, F557L, I615V
NS4A (Protease cofactor: aa 1-54)
I29V

Important Definitions
Resistance Possible - Resistance Associated Variants (RAVs) detected that (a) represent naturally-occurring polymorphisms or treatment-emergent variants associated with reductions in sustained virologic response (SVR) rates, (b) emerge during direct-acting antiviral

H=High, L=Low, *=Abnormal, C=Critical

(DAA)-treatment or relapse, and/or (C) may confer reductions in susceptibility based on in vitro data. Refer to prescribing information for specific details regarding the impact of these variants on treatment response in defined patient populations and when administered in combination with other antiviral agents.

None/Undetermined - None; no RAVs detected. Undetermined; variants detected that have a subtle or uncertain impact on DAA-treatment responses.

All variants are reported relative to the HCV genotype/subtype specific reference H77.

Assessment is based on a rules-based algorithm (version 6).

Naturally-occurring polymorphisms may impact the emergence of resistance, leading to failure of DAA combination therapy

Naturally-occurring DAA resistance-associated polymorphisms identified at baseline may impact SVR if the treatment regimen, or adherence, is suboptimal. The impact of these polymorphisms may vary in treatment-naïve and treatment-experienced patients and with varying disease states (e.g. non-cirrhotic vs cirrhotic)

Reduced susceptibility to any one component of a DAA-containing regimen may be overcome by the activity of the other components of the regimen and/or longer treatment duration

Treatment emergent RAVs may persist for prolonged periods of time and may impact subsequent treatment regimens

HCV GenoSure NS3 and NS4A Interpretation

See Comments

H=High, L=Low, *=Abnormal, C=Critical

For more information on interpreting this report, please call Monogram Customer Service at 800-777-0177 between the hours of 6:30am to 5:00pm Pacific Time Monday through Friday.

This assay is performed using a next-generation sequencing platform that analyzes the specified non-structural coding regions of HCV. Variants are reported at a sensitivity that has been demonstrated to be equivalent to that of Sanger/population sequencing. Genotype assignment is determined from the sequence of the specified regions that are derived using subtype specific methodology, and should not be used to establish or confirm the HCV genotype. HCV genotype determination should only be done with an assay intended for that purpose. This assay was validated by testing samples with viral loads equal to or above 2000 IU/mL and should be interpreted only on such specimens. This assay meets the standards for performance characteristics and all other quality control and assurance requirements established by CLIA. The results should not be used as the sole criteria for patient management. This test was developed and its performance characteristics determined by Monogram Biosciences. It has not been cleared or approved by the FDA. This document contains private and confidential health information protected by state and federal law. If you have received this document in error, please call 800-777-0177.

Performed by Monogram Biosciences
Weidong Huang, MD, Medical Director
345 Oyster Point Blvd, South San Francisco, CA 94080
Tel (800) 777-0177

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EER HCV GenoSure NS3 and NS4A	21-148-107014	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV GenoSure NS3 and NS4A	21-148-107014	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV GenoSure NS3 and NS4A Interpretation	21-148-107014	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical